

Notice of Allowability

Application No.

10/049,466

Applicant(s)

WEIDLICH, ERNST-RUDOLF
GOTTFRIED

Examiner

Scott A. Rogers

Art Unit

2625

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to ____.
2. ☒ The allowed claim(s) is/are 11-21.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: ____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date ____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 2/12/02
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date ____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other ____.


SCOTT ROGERS
PRIMARY EXAMINER

Examiner's Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Referring to claims 11-21, the prior art searched and of record neither anticipates nor suggests in the claimed combinations, engraving multiple lanes, engraving cups with geometric values representing actual printing densities, calibrating engraving elements to engrave cups with geometry values prescribed by a standard calibration function to get rated printing densities, matching printing densities with individual engraving lanes by deriving and applying a corrected lane calibration based on deviations between rated and actual printing densities

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Cited Art

The art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited prior does not disclose the engraving calibration technique in applicant's claimed combinations as indicated above. In Seitz (US 5831746, which is equivalent to DE 197 19 990 A1 cited in applicant's International Application), it is noted that the difference in the actual and desired volume of engraved cells (cups) is used to adjust the engraver gamma curve, and there is no suggestion of engraving as set forth in applicant's claimed combinations. There is not suggestion to combine Bardin (US 4003311 A1 cited

Art Unit: 2625

in applicant's International Application) with Seitz, and Bardin furthermore, does not teach all the deficiencies in Seitz with respect to applicants claimed combinations.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott A Rogers whose telephone number is 571-272-7467. The examiner can normally be reached Monday through Friday 6:00am-2:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Moore can be reached at 571-272-7437.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to TC2600 Customer Service at 571-272-2600. Official correspondence by facsimile should be sent to 571-273-8300. The USPTO contact Center phone numbers are 800-PTO-9199.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

05 March 2006


SCOTT ROGERS
PRIMARY EXAMINER